



**CITY OF ELKO
CITY CLERK DEPARTMENT
1751 COLLEGE AVENUE
ELKO, NEVADA 89801
(775)777-7126
(775)777-7129 FAX**

**CITY OF ELKO - ADDENDUM NUMBER 2
Chilton Centennial Tower Construction
June 14th, 2017**

PLEASE ACKNOWLEDGE RECEIPT OF THE ADDENDUM AND FAX BACK TO (775) 777-7129 OR EMAIL TO CITYCLERK@CI.ELKO.NV.US. THANK YOU.

Addendum Receipt: _____	_____
Signature	Date

Company Name	



CITY OF ELKO
ENGINEERING DEPARTMENT
1755 COLLEGE AVENUE
ELKO, NEVADA 89801
(775)777-7210
(775)777-7219 FAX

ADDENDUM #2
CHILTON CENTENNIAL TOWER CONSTRUCTION

June 14, 2017

This addendum addresses additions, changes, and clarifications to the Contract documents and Contract Drawings for the City of Elko, Chilton Centennial Tower Construction.

Additions:

1 – The electrical design for the tower shall include the installation of 2 ~ 120V electrical outlets with outdoor covers. The outlets shall be placed roughly 10 feet above the ground, hidden behind one of the lower cross members.

Changes:

1 – The contract time allowed for this project will be seventy-five (75) days, not 60 days as stated in the original documents.

Thank you for your interest in bidding this project.

Bob Thibault, P.E., P.L.S.
City of Elko
Civil Engineer

